



Robert E. Heslin
Jeff Rothenberg
Kevin P. Radigan
Susan E. Farley
Nicholas Mesiti
Philip E. Hansen*
Blanche E. Schiller
Wayne F. Reinke
David P. Miranda

* Patent Agent

HESLIN ROTHENBERG FARLEY & MESITI P.C.

INTELLECTUAL PROPERTY LAW

PATENTS • TRADEMARKS • COPYRIGHTS

Attorneys at Law
5 Columbia Circle
Albany, New York 12203
Telephone: (518) 452-5600
Facsimile: (518) 452-5579
www.hrflaw.com

June 13, 2005

Kathy Smith Dias
Mary Louise Gioeni
David A. Pascarella
Victor A. Cardona
Lee Palmateer
John Pietrangelo*
Brett M. Hutton
Stephen M. Hladik
Edward Timmer
Alana M. Fuierer

Of Counsel
Martha L. Boden
Jill M. Breedlove

Joseph L. Spiegel
Poughkeepsie, NY

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Correction of Mistake in Printed Patent
Under §1480 of the Manual of Patent
Examining Procedures
U.S. Patent No.: 6,900,213
Date of Patent: May 31, 2005
Inventor(s): Guo et al.
Our File No.: 1073.071

Certificate
JUN 23 2005
of Correction

Dear Sir:

Upon proofreading the sealed patent, we noticed an error made by the Patent Office.

Transmitted herewith is a proposed Certificate of Correction effecting a corrective amendment.

The patentee respectfully solicits the granting of the requested Certificate of Correction.

Respectfully submitted,

Philip E. Hansen, Patent Agent
Registration No. 32,700
Agent for Applicants

PEH/cma
Enclosure

JUN 24 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. 6,900,213
DATED May 31, 2005
INVENTOR(S) Guo et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 10

Col. 155, line 15, delete "R₂" and insert --R₁--

MAILING ADDRESS OF SENDER:

Philip E.Hansen, Patent Agent
Heslin Rothenberg Farley & Mesiti P.C.
5 Columbia Circle
Albany, New York 12203
Telephone: (518) 452-5600
Facsimile: (518) 452-5579

PATENT NO.:

No. of add'l copies
@ .50 per page

JUN 24 2005